European Journal of Biochemistry

Volume 213 1993

Honorary Chairman Frederick Sanger, Cambridge

Editorial Board
August Böck (München)
Philipp Christen (Zürich) Chairman
Michael J. Clemens (London)
Hugo Fasold (Frankfurt)
Jean Girard (Paris)
Cornelis W. Hilbers (Nijmegen)
Eberhard Hofmann (Leipzig) Reviews Editor
Hans Jörnvall (Stockholm)
Claude Liébecq (Liège) Honorary Member
David G. Nicholls (Dundee)
Gösta Pettersson (Lund)
Johannes F.G. Vliegenthart (Utrecht)

Advisory Board
E. Appella (Bethesda)
P. Argos (Heidelberg)
R. Arnon (Rehovot)
F.X. Avilés (Barcelona)
S. Avrameas (Paris)
B.E.C. Banks (London)
A. Bax (Bethesda)
H. Betz (Frankfurt)
T.A. Bickle (Basel)
A. Billiau (Leuven)
M.D. Brand (Cambridge)
R.L.C. Brimacombe (Berlin)
M. Chabre (Valbonne)
K.J. Clemetson (Bern)
A.J. Cornish-Bowden (Marseille)
C. Crane-Robinson (Portsmouth)
R.R. Crichton (Louvain-la-Neuve)
M. Crompton (London)
B. Dobberstein (Heidelberg)
H. Durchschlag (Regensburg)
J. Duszynski (Warszawa)
T. Feizi (Harrow)
J. Filipski (Paris)
A. Finazzi-Agrò (Roma)
F. Franěk (Praha)
H. Frauenfelder (Urbana)
D. Gallwitz (Göttingen)
S. Ghisla (Konstanz)
F.M. Goñi (Bilbao)
L.A. Grivell (Amsterdam)
H. Grosjean (Gif-sur-Yvette)
F. Hucho (Berlin)
R.C. Hughes (London)
M. Jacob (Strasbourg)
K.H. Jakobs (Essen)
P. Jollès (Paris)
A. Kahn (Paris)
J.E. Kay (Brighton)
M. Klingenberg (München)
J.P. Klinmann (Berkeley)
W.N. Konings (Haren)
G. Kreil (Salzburg)
C.J. Leaver (Oxford)
L. Lehle (Regensburg)
J.-M. Lhoste (Orsay)
G.P. Mannaerts (Leuven)
W.J. Möller (Leiden)
Y. Nagai (Tokyo)
Y. Nishizuka (Kobe)
P.J. Parker (London)
D.J. Patel (New York)
L.A. Pinna (Padova)
T.A. Rapoport (Berlin)
L. Rask (Uppsala)
J. Rétey (Karlsruhe)
P.R. Rich (Bodmin)
J.F. Riordan (Boston)
H. Rüterjans (Frankfurt)
P.R. Schimmel (Cambridge)
M.C. Scrutton (London)
V.P. Skulachev (Moscow)
K. Soda (Kyoto)
D.G. Söll (New Haven)
J.M. Tager (Bari)
R.K. Thauer (Marburg)
R. Timpl (Martinsried)
I.P. Trayer (Birmingham)
V. Ullrich (Konstanz)
J. Vandekerckhove (Gent)
C. Veeger (Wageningen)
P. Venetianer (Szeged)
A. Verbert (Villeneuve-d'Ascq)
S.G. Wilkinson (Hull)
R.J.P. Williams (Oxford)
K.W.A. Wirtz (Utrecht)

Editorial Office J. Maillou, L. Rowett, B. Whyte, S.A. Brooks, N. Bulgheroni, J. Piket Stähelin, M.E. Vetterli
Apollostrasse 2, Postfach, CH-8032 Zürich, Switzerland

Production Office S. Förster, G. Schanno, B. Gärtner
Springer-Verlag, Tiergartenstrasse 17, Postfach 105280, W-6900 Heidelberg, Germany

FEBS

Published by Springer International on behalf of the Federation of European Biochemical Societies

The exclusive copyright for all languages and countries, including the rights for photographic reproduction, electronic data base, video disks, or any other reproduction of text, figures, or tables from this journal, also in microform, is vested in the Federation of European Biochemical Societies.

The use of general descriptive names, trade names, trade marks, etc., in this publication, even if the former are not specifically identified, is not to be interpreted that such names are exempt from the relevant protective laws and regulations and may accordingly be used freely by anyone.

Individuals may reproduce material published in this journal when writing a review or book as long as they make proper acknowledgement to the origin of the material and obtain the author(s)' permission if this condition applies.

Springer Verlag Berlin Heidelberg New York

Printers: Wiesbadener Graphische Betriebe GmbH, Wiesbaden

Printed in Germany

Copyright © by the Federation of European Biochemical Societies 1993.

Volume 213 1993

Table of contents

No. 1 1– 648 issued on April 1, 1993
No. 2 649– 890 issued on April 15, 1993
No. 3 891–1366 issued on May 1, 1993

Information for authors 1359–1365

Contents of Volume 213 I–XIII

Announcements and corrections to nomenclature documents
International Union of Biochemistry and Molecular Biology (IUBMB) 1–3

Priority paper

A novel very small subunit of a selenium containing [NiFe] hydrogenase of *Methanococcus voltae* is postranslationally processed by cleavage at a defined position
O. Sorgenfrei, D. Linder, M. Karas and A. Klein 1355–1358

Nucleic acids, protein synthesis and molecular genetics

The structure of the gene encoding chicken ribosomal protein L37a
M. Machida, S. Toku, N. Kenmochi and T. Tanaka 77–80

Functional expression and characterization of a *Xenopus laevis* peptidylglycine α-amidating monooxygenase, AE-II, in insect-cell culture
K. Suzuki, M. Ohta, M. Okamoto and Y. Nishikawa 93–98

Intron-exon structure, alternative use of promoter and expression of the mouse collagen X gene, *Col10a-1*
R. Y. C. Kong, K. M. Kwan, E. T. Lau, J. T. Thomas, R. P. Boot-Handford, M. E. Grant and K. S. E. Cheah 99–111

Characterization of the promoter region of the rat hepatocyte-growth-factor/scatter-factor gene
A. Okajima, K. Miyazawa and N. Kitamura 113–119

Rapid screening of cytochromes of respiratory mutants of *Saccharomyces cerevisiae* – Application to the selection of strains containing novel forms of cytochrome-*c* oxidase
S. Brown, A.-M. Colson, B. Meunier and P. R. Rich 137–145

A *Candida albicans* homolog of *CDC25* is functional in *Saccharomyces cerevisiae*
D. Goldberg, I. Marbach, E. Gross, A. Levitzki and G. Simchen 195–204

The 5′ ends of RNA oligonucleotides in *Escherichia coli* and mRNA degradation
V. J. Cannistraro and D. Kennell 285–293

Molecular cloning of a cDNA showing alternative splicing of the 5′-untranslated sequence of mRNA for human aromatase *P*-450
K. Toda and Y. Shizuta 383–389

Expression of the rat growth-hormone gene is under the influence of a cell-type-specific silencer element
S. L. Guérin, M. J. Anzivino, R. J. Roy and D. D. Moore 399–404

Overproduction, solubilization, purification and DNA-binding properties of AmpR from *Citrobacter freundii*
R. E. Bishop and J. H. Weiner 405–412

Cell-specific expression of human β-galactoside α2,6-sialyltransferase transcripts differing in the 5′ untranslated region
H.-C. Aasheim, D. A. Aas-Eng, A. Deggerdal, H. K. Blomhoff, S. Funderud and E. B. Smeland 467–475

Transcriptional control of *AAC3* gene encoding mitochondrial ADP/ATP translocator in *Saccharomyces cerevisiae* by oxygen, heme and ROX1 factor
L. Šabová, I. Zeman, F. Supek and J. Kolarov 547–553

tRNA fluorescent labeling at 3′ end inducing an aminoacyl-tRNA-like behavior
L. Servillo, C. Balestrieri, L. Quagliuolo, E. L. Iorio and A. Giovane 583–589

Synthesis of human parathyroid-hormone-related protein(1–141) in *Saccharomyces cerevisiae* – A correct amino-terminal processing vital for the hormone's biological activity is obtained by an ubiquitin fusion protein approach
E. Rian, R. Jemtland, O. K. Olstad, J. O. Gordeladze and K. M. Gautvik 641–648

Orthorhombic crystal structure of the A-DNA octamer d(GTACGTAC) – Comparison with the tetragonal structure
B. Langlois d'Estaintot, A. Dautant, C. Courseille, G. Precigoux 673–682

Regulation of elongation factor-2 by multisite phosphorylation
N. T. Redpath, N. T. Price, K. V. Severinov, C. G. Proud 689–699

Functional domains in the *Escherichia coli* release factors – Activities of hybrids between RF-1 and RF-2
J. G. Moffat, B. C. Donly, K. K. McCaughan, W. P. Tate 749–756

The rat mitochondrial 3-hydroxy-3-methylglutaryl-coenzyme-A-synthase gene contains elements that mediate its multihormonal regulation and tissue specificity
G. Gil-Gómez, J. Ayté, F. G. Hegardt 773–779

Human β_2-adrenergic receptor produced in stably transformed insect cells is functionally coupled via endogenous GTP-binding protein to adenylyl cyclase
G. Kleymann, F. Boege, M. Hahn, W. Hampe, S. Vasudevan, H. Reiländer 797–804

Natural cycloheximide resistance in yeast – The role of ribosomal protein L41
P. Dehoux, J. Davies, M. Cannon 841–848

Two different genes from *Schwanniomyces occidentalis* determine ribosomal resistance to cycloheximide
L. Del Pozo, D. Abarca, J. Hoenicka, A. Jimenez 849–857

Translational repression of EF-1α mRNA *in vitro*
L. I. Slobin and M. N. Rao 919–926

cDNA cloning and mitochondrial import of the β-subunit of the human electron-transfer flavoprotein
G. Finocchiaro, I. Colombo, B. Garavaglia, C. Gellera, G. Valdameri, N. Garbuglio and S. Didonato 1003–1008

Identification and functional characterization of regulatory elements of the glutamine synthetase gene from rat liver
J. Fahrner, W. T. Labruyere, C. Gaunitz, A. F. M. Moorman, R. Gebhardt and W. H. Lamers 1067–1073

The promoter and intron/exon structure of the human and mouse β3-adrenergic-receptor genes
A. Van Spronsen, C. Nahmias , S. Krief, M.-M. Briend-Sutren, A. D. Strosberg and L. J. Emorine 1117–1124

NMR and molecular modeling studies of the interaction of berenil and pentamidine with d(CGCAAATTTGCG)$_2$
T. C. Jenkins, A. N. Lane, S. Neidle and D. G. Brown 1175–1184

Metabolic characteristics of rat liver cytosolic 5SRNA
K. Ogata, A. Kurahashi, C. Nishiyama and K. Terao 1277–1282

Gastric chief cell-specific transcription of the pepsinogen A gene
P. H. S. Meijerink, J.-P. Bebelman, A. M. Oldenburg, J. Defize, R. J. Planta, A. W. Eriksson, G. Pals and W. H. Mager 1283–1296

Expression of the *Xenopus* D_2 dopamine receptor – Tissue-specific regulation and two transcriptionally active genes but no evidence for alternative splicing
G. J. M. Martens, P. M. A. Groenen, D. Gröneveld and M. C. H. M. Van Riel 1349–1354

Protein chemistry and structure

Ascidian entactin/nidogen – Implication of evolution by shuffling two kinds of cysteine-rich motifs
H. Nakae, M. Sugano, Y. Ishimori, T. Endo and T. Obinata 11–19

Isozyme developments in mammalian class-I alcohol dehydrogenase – cDNA cloning, functional correlations, and lack of evidence for genetic isozymes in rabbit
J.-O. Höög, N. Vagelopoulos, P.-K. Yip, W. M. Keung and H. Jörnvall 31–38

Substrate interactions between trypanothione reductase and N^1-glutathionylspermidine disulphide at 0.28-nm resolution
S. Bailey, K. Smith, A. H. Fairlamb and W. N. Hunter 67–75

Cloning and structural analysis of α-latroinsectotoxin cDNA – Abundance of ankyrin-like repeats
N. Kiyatkin, I. Dulubova and E. Grishin 121–127

Homonuclear and heteronuclear NMR studies of oxidized *Desulfovibrio vulgaris* flavodoxin – Sequential assignments and identification of secondary structure elements
M. A. Knauf, F. Löhr, G. P. Curley, P. O'Farrell, S. G. Mayhew, F. Müller and H. Rüterjans 167–184

Chymotryptic cleavage of lipoprotein lipase – Identification of cleavage sites and functional studies of the truncated molecule
A. Lookene and G. Bengtsson-Olivecrona 185–194

Purification and sequence determination of guanylate kinase from pig brain
P. D. Zschocke, E. Schiltz and G. E. Schulz 263–269

^{1}H-NMR spectroscopy of βB2-crystallin from bovine eye lens – Conformation of the N- and C-terminal extensions
J. A. Carver, P. G. Cooper and R. J. W. Truscott 313–320

^{1}H-NMR spectroscopy of bovine lens β-crystallin – The role of the βB2-crystallin C-terminal extension in aggregation
P. G. Cooper, J. A. Carver and R. J. W. Truscott 321–328

Overproduction, purification and characterization of the bacterioferritin of *Escherichia coli* and a C-terminally extended variant
S. C. Andrews, J. M. A. Smith, C. Hawkins, J. M. Williams, P. M. Harrison and J. R. Guest 329–338

Two-dimensional NMR assignment of hyperfine-shifted resonances of very fast relaxing metal binding sites of proteins by NOE spectroscopy – The case of Cu, Co superoxide dismutase
M. Sette, M. Paci, A. Desideri and G. Rotilio 391–397

Comparative proteolysis of sorbitol and alcohol dehydrogenases
P. Rouimi, K. Loomes and H. Jörnvall 487–492

Amino acid residues involved in the catalytic site of human erythrocyte bisphosphoglycerate mutase – Functional consequences of substitutions of His10, His187 and Arg89
M.-C. Garel, V. Lemarchandel, M.-C. Calvin, N. Arous, C. T. Craescu, M.-O. Prehu, J. Rosa and R. Rosa 493–500

Crystallographic studies of azide binding to human carbonic anhydrase II
S. K. Nair and D. W. Christianson 507–515

Characterization of a clotting protein, isolated from plasma of the freshwater crayfish *Pacifastacus leniusculus*
P. Kopáček, M. Hall and K. Söderhäll 591–597

Troponin-C mutants with increased calcium affinity
A. C. R. da Silva, A. H. B. de Araujo, O. Herzberg, J. Moult, M. Sorenson and F. C. Reinach 599–604

The primary structures and properties of non-stomach lysozymes of sheep and cow, and implication for functional divergence of lysozyme
Y. Ito, H. Yamada, M. Nakamura, A. Yoshikawa, T. Ueda, T. Imoto 649–658

Identification of a new family of human epithelial protein kinases containing two leucine/isoleucine-zipper domains
D. S. Dorow, L. Devereux, E. Dietzsch, T. De Kretser 701–710

Fluorescent and biotinylated linear peptides as selective bifunctional ligands for the V_{1a} vasopressin receptor
J. Howl, X. Wang, C. J. Kirk, M. Wheatley 711–719

Crystal structure of apo-neocarzinostatin at 0.15-nm resolution
A. Teplyakov, G. Obmolova, K. Wilson, K. Kuromizu 737–741

Nucleotide binding and GTP hydrolysis by the 21-kDa product of the c-H-*ras* gene as monitored by proton-NMR spectroscopy
A. Löw, M. Sprinzl, S. Limmer 781–788

High-mobility-group (HMG) proteins and histone H1 subtypes expression in normal and tumor tissues of mouse
V. Giancotti, A. Bandiera, L. Ciani, D. Santoro, C. Crane-Robinson, G. H. Goodwin, M. Boiocchi, R. Dolcetti, B. Casetta 825–832

A ^{1}H-NMR study of the transcription factor 1 from *Bacillus subtilis* phage SPO1 by selective ^{2}H-labeling – Complete assignment and structural analysis of the aromatic resonances for a 22-kDa homodimer
J. M. Reisman, V. L. Hsu, I. Jariel-Encontre, C. Lecou, M. H. Sayre, D. R. Kearns, J. Parello 865–873

LymnaDFamides, a new family of neuropeptides from the pond snail, *Lymnaea stagnalis* – Clue to cholecystokinin immunoreactivity in invertebrates?
A. H. Johnsen, J. F. Rehfeld 875–879

Determination of the nuclear-magnetic-resonance solution structure of cardiotoxin CTX IIb from *Naja mossambica mossambica*
J. F. O'Connell, P. E. Bougis and K. Wüthrich 891–900

Isolation and characterization of a cDNA clone encoding a *Pleurodeles* lectin
C. Tiffoche, A. Chesnel, P. Jego and J.-P. Le Pennec 901–907

Conformational characterization by circular-dichroism spectroscopy of various fragments and analogs of calcitonin-gene-related peptide
M. Mimeault, S. St-Pierre and A. Fournier 927–934

Structure/activity relationship of adenine-modified NAD derivatives with respect to porcine heart lactate dehydrogenase isozyme H_4 simulated with molecular mechanics
J. Hendle, A. F. Bückmann, W. Aehle, D. Schomburg and R. D. Schmid 947–956

γ-Butyrobetaine hydroxylase – Structural characterization of the *Pseudomonas* enzyme
U. Rüetschi, I. Nordin, B. Odelhög, H. Jörnvall and S. Lindstedt 1075–1080

Human 4-hydroxyphenylpyruvate dioxygenase – Primary structure and chromosomal localization of the gene
U. Rüetschi, A. Dellsén, P. Sahlin, G. Stenman, L. Rymo and S. Lindstedt 1081–1089

The primary structure of branched-chain α-oxo acid dehydrogenase from *Bacillus subtilis* and its similarity to other α-oxo acid dehydrogenases
G.-F. Wang, T. Kuriki, K. L. Roy and T. Kaneda 1091–1099

A comparative laser-flash absorption spectroscopy study of *Anabaena* PCC 7119 plastocyanin and cytochrome c_6 photooxidation by photosystem I particles
M. Medina, A. Díaz, M. Hervás, J. A. Navarro, C. Gómez-Moreno, M. A. de la Rosa and G. Tollin 1133–1138

X- and Q-band EPR studies on the two Mn^{2+}-substituted metal-binding sites of D-xylose isomerase
R. Bogumil, R. Kappl, J. Hüttermann, C. Sudfeldt and H. Witzel 1185–1192

Two-dimensional ^{1}H-NMR study of the spatial structure of neurotoxin II from *Naja naja oxiana*
A. P. Golovanov, A. L. Lomize, A. S. Arseniev, Y. N. Utkin and V. I. Tsetlin 1213–1223

Creatinase in its collapsed A state shows properties of a molten globule with dimeric quaternary structure
J. Schumann and R. Jaenicke 1225–1233

Secondary structure and temperature behaviour of acetylcholinesterase – Studies by Fourier-transform infrared spectroscopy
U. Görne-Tschelnokow, D. Naumann, C. Weise and F. Hucho 1235–1242

Photochemical cross-linking of the skeletal myosin head heavy chain to actin subdomain-1 at Arg95 and Arg28
N. Bonafé, P. Chaussepied, J. P. Capony, J. Derancourt and R. Kassab 1243–1254

Predicting the topology of eukaryotic membrane proteins
L. Sipos and G. Von Heijne 1333–1340

Enzymology

Purification and characterization of cytochrome $P450_{RR1}$ from *Rhodococcus rhodochrous*
L. D. Eltis, U. Karlson and K. N. Timmis 211–216

Human-liver cytochromes *P*-450 expressed in yeast as tools for reactive-metabolite formation studies – Oxidative activation of tienilic acid by cytochromes *P*-450 2C9 and 2C10
M. P. Lopez Garcia, P. M. Dansette, P. Valadon, C. Amar, P. H. Beaune, F. P. Guengerich and D. Mansuy 223–232

Purification and characterization of an extremely thermostable β-glucosidase from the hyperthermophilic archaeon *Pyrococcus furiosus*
S. W. M. Kengen, E. J. Luesink, A. J. M. Stams and A. J. B. Zehnder 305–312

Structural requirements of phosphatidylinositol-specific phospholipase C δ_1 for enzyme activity
M. V. Ellis, A. Carne and M. Katan 339–347

Purification and characterization of extracellular, acidic chitinase isoenzymes from elicitor-stimulated parsley cells
C. Kirsch, K. Hahlbrock and E. Kombrink 419–425

Tissue-type plasminogen activator mutants imitating urokinase in the peptide link between kringle and protease domains and at selected sites within the protease domain
B. Hinzmann, D. Wernicke, M. Pfeifer, U. Zacharias, B. Fischer, F. Eisenmenger and H. Will 437–443

Arginine 53 is involved in head-group specificity of the active site of porcine pancreatic phospholipase A_2
R. B. Lugtigheid, M. A. Otten-Kuipers, H. M. Verheij and G. H. De Haas 517–522

Purification of a cytochrome *b* containing H_2: heterodisulfide oxidoreductase complex from membranes of *Methanosarcina barkeri*
S. Heiden, R. Hedderich, E. Setzke and R. K. Thauer 529–535

Purification and properties of N^5-methyltetrahydromethanopterin: coenzyme M methyltransferase from *Methanobacterium thermoautotrophicum*
P. Gärtner, A. Ecker, R. Fischer, D. Linder, G. Fuchs and R. K. Thauer 537–545

Enzymes of anaerobic metabolism of phenolic compounds – 4-Hydroxybenzoate-CoA ligase from a denitrifying *Pseudomonas* species
T. Biegert, U. Altenschmidt, C. Eckerskorn and G. Fuchs 555–561

Enzymes of anaerobic metabolism of phenolic compounds – 4-Hydroxybenzoyl-CoA reductase (dehydroxylating) from a denitrifying *Pseudomonas* species
R. Brackmann and G. Fuchs 563–571

Are there different water requirements in different steps of a catalytic cycle? – Hydration effects at the E1 and E2 conformers of *Sarcoplasmic reticulum* Ca^{2+}-ATPase studied in organic solvents with low amounts of water
H. Barrabin, H. M. Scofano, M. T. de Gómez-Puyou, A. Gómez-Puyou 757–763

Regulation of the L-arginine-dependent and tetrahydrobiopterin-dependent biosynthesis of nitric oxide in murine macrophages
G. Schoedon, M. Schneemann, S. Hofer, L. Guerrero, N. Blau, A. Schaffner 833–839

Phosphorylation of solubilised dark-adapted rhodopsin – Insights into the activation of rhodopsin kinase
K. R. Dean, M. Akhtar 881–890

The mechanism of substrate and coenzyme binding to clostridial glutamate dehydrogenase during oxidative deamination
L. A. Basso, P. C. Engel and A. R. Walmsley 935–945

FAD and substrate analogs as probes for lysine N^6-hydroxylase from *Escherichia coli* EN 222
P. Macheroux, H. J. Plattner, A. Romaguera and H. Diekmann 995–1002

Role of tyrosine 129 in the active site of spinach glycolate oxidase
P. Macheroux, V. Kieweg, V. Massey, E. Söderlind, K. Stenberg and Y. Lindqvist 1047–1054

Inhibitor-2 functions like a chaperone to fold three expressed isoforms of mammalian protein phosphatase-1 into a conformation with the specificity and regulatory properties of the native enzyme
D. R. Alessi, A. J. Street, P. Cohen and P. T. W. Cohen 1055–1066

Alcohol esterification reactions and mechanisms of snake venom 5′-nucleotide phosphodiesterase
M. García-Díaz, M. Avalos and J. C. Cameselle 1139–1148

Immobilization of the tetrameric and monomeric forms of pigeon liver malic enzyme on Sepharose beads
G.-G. Chang, T.-M. Huang and T.-C. Chang 1159–1165

Purification and characterisation of glyoxalase II from human red blood cells
R. E. Allen, T. W. C. Lo and P. J. Thornalley 1261–1267

Purification and biochemical characterization of the hydantoin hydrolyzing enzyme from *Agrobacterium species* – A hydantoinase with no 5,6-dihydropyrimidine amidohydrolase activity
S. M. Runser and P. C. Meyer 1315–1324

Carbohydrates, lipids and other natural products

Structures of sialylated oligosaccharides of human erythropoietin expressed in recombinant BHK-21 cells
M. Nimtz, W. Martin, V. Wray, K.-D. Klöppel, J. Augustin and H. S. Conradt 39–56

Oxygenation of lipoproteins by mammalian lipoxygenases
J. Belkner, R. Wiesner, J. Rathman, J. Barnett, E. Sigal and H. Kühn 251–261

4-*O*-(2-Amino-2-deoxy-α-D-glucopyranosyl)-3-deoxy-D-*manno*-2-octulosonic acid, a constituent of lipopolysaccharides of the genus *Pectinatus*
I. M. Helander, H. Moll and U. Zähringer 377–381

Structural determination of the capsular polysaccharide produced by *Klebsiella pneumoniae* serotype K40 – NMR studies of the oligosaccharide obtained upon depolymerisation of the polysaccharide with a bacteriophage-associated endoglycanase
P. Cescutti, R. Toffanin, B. J. Kvam, S. Paoletti and G. G. S. Dutton 445–453

Expression of the *Shigella dysenteriae* type-1 lipopolysaccharide repeating unit in *Escherichia coli* K12/*Shigella dysenteriae* type-1 hybrids
I. C. Fält, E. K. H. Schweda, A. Weintraub, S. Sturm, K. N. Timmis and A. A. Lindberg 573–581

Identification of charge-transfer transitions in the optical spectrum of low-spin ferric cytochrome *P*-450 *Bacillus megaterium*
J. McKnight, M. R. Cheesman, A. J. Thomson, J. S. Miles, A. W. Munro 683–687

The action of *Trypanosoma cruzi* transsialidase on glycolipids and glycoproteins
M. A. Ferrero-García, S. E. Trombetta, D. O. Sánchez, A. Reglero, A. C. C. Frasch, A. J. Parodi 765–771

Structural studies of the O-antigenic polysaccharide of an enteroaggregative *Escherichia coli* strain
A. Weintraub, K. Leontein, G. Widmalm, P. A. Vial, M. M. Levine, A. A. Lindberg 859–864

Isomeric *sn*-1-octadecenyl and *sn*-2-octadecenyl analogues of lysophosphatidylcholine as substrates for acylation and desaturation by plant microsomal membranes
P. Sperling and E. Heinz 965–971

Regulation of low-density-lipoprotein receptors in the human hepatoma cell line Hep G2 – Effect of phorbol 12-myristate 13-acetate and low-density lipoprotein
J. A. A. M. Kamps and T. J. C. Van Berkel 989–994

Chemical structures of the core regions of *Campylobacter jejuni* serotypes O:1, O:4, O:23, and O:36 lipopolysaccharides
G. O. Aspinall, A. G. McDonald, T. S. Raju, H. Pang, A. P. Moran and J. L. Penner 1017–1027

Chemical structure of the core region of *Campylobacter jejuni* serotype O:2 lipopolysaccharide
G. O. Aspinall, A. G. McDonald, T. S. Raju, H. Pang, L. A. Kurjanczyk, J. L. Penner and A. P. Moran 1029–1037

Primary structures of the N-linked carbohydrate chains from honeybee venom phospholipase A_2
V. Kubelka, F. Altmann, E. Staudacher, V. Tretter, L. März, K. Hård, J. P. Kamerling and J. F. G. Vliegenthart 1193–1204

Structure of the O-specific polysaccharide containing pentitol phosphate, isolated from *Hafnia alvei* strain PCM 1191 lipopolysaccharide
A. Gamian, E. Romanowska, U. Dabrowski and J. Dabrowski 1255–1260

Collagen II from articular cartilage and annulus fibrosus – Structural and functional implication of tissue specific posttranslational modifications of collagen molecules
C. L. Yang, H. Rui, S. Mosler, H. Notbohm, A. Sawaryn and P. K. Müller 1297–1302

Characterization of the high-affinity oligosaccharide-binding site of the 205-kDa porcine large granular lymphocyte lectin, a member of the leukocyte common antigen family
K. Bezouška, A. Krajhanzl, M. Pospíšil, J. Kubrycht, K. Stajner, J. Felsberg, and J. Kocourek 1303–1313

Membranes and bioenergetics

Evidence for a common structure for a class of membrane channels
A. Holzenburg, P. C. Jones, T. Franklin, T. Pali, T. Heimburg, D. Marsh, J. B. C. Findlay and M. E. Finbow 21–30

Genetic screening in *Saccharomyces cerevisiae* for large numbers of mitochondrial point mutations which affect structure and function of catalytic subunits of cytochrome-*c* oxidase
B. Meunier, P. Lemarre and A.-M. Colson 129–135

Characterization and photoaffinity labeling of the ATP binding site of the ryanodine receptor from skeletal muscle
A. Zarka and V. Shoshan-Barmatz 147–154

Role of acidic lipids in the translocation and channel activity of colicins A and N in *Escherichia coli* cells
F. G. van der Goot, N. Didat, F. Pattus, W. Dowhan and L. Letellier 217–221

Reconstitution studies of lipid effects on insulin-receptor kinase activation
V. Leray, P. Hubert, C. Burgun, C. Staedel and G. Crémel 277–284

Generation of phosphatidic acid during calcium-loading of human erythrocytes – Evidence for a phosphatidylcholine-hydrolyzing phospholipase D
P. Bütikofer, M. C. Yee, M. A. Schott, B. H. Lubin and F. A. Kuypers 367–375

Modification of the E_1ATP binding site of Na^+/K^+-ATPase by the chromium complex of adenosine 5'-[β,γ-methylene]triphosphate blocks the overall reaction but not the partial activities of the E_2 conformation
E. Hamer, W. Schoner 743–748

On the activation mechanism of the H^+-ATP synthase and unusual thermodynamic properties in the alkalophilic cyanobacterium *Spirulina platensis*
R. H. A. Bakels, H. S. van Walraven, K. Krab, M. J. C. Scholts and R. Kraayenhof 957–964

Functional coupling between sarcoplasmic-reticulum-bound creatine kinase and Ca^{2+}-ATPase
P. Korge, S. K. Byrd and K. B. Campbell 973–980

Evidence for a ternary interaction between α-actinin, (meta)vinculin and acidic-phospholipid bilayers
V. Niggli and M. Gimona 1009–1015

Stoichiometry and redox behaviour of metals in cytochrome-*c* oxidase
G. C. M. Steffens, T. Soulimane, G. Wolff and G. Buse 1149–1157

Prostaglandin-E_1-binding sites in rabbit erythrocyte membranes
A. K. Dutta-Roy, L. Hoque and B. J. Paterson 1167–1173

Lactotransferrin binding to its platelet receptor inhibits platelet aggregation
B. Leveugle, J. Mazurier, D. Legrand, C. Mazurier, J. Montreuil and G. Spik 1205–1211

The interaction of daunomycin with model membranes – Effect of the lipid physical state and the lipid composition
S. Bañuelos, J. L. R. Arrondo, J. M. Canaves, J. A. Ferragut and A. Muga 1269–1275

Molecular cell biology and metabolism

Heavy-chain isoforms of non-muscle myosin in human tissues
A. Kimura, S. Nakashima, T. Uda, H. Ikeda, S. Yasuda, T. Tsuji and S. Matsumura 5–10

Cardiac α_1-adrenoceptors stimulate a high-affinity GTPase activity in sarcolemmal membranes from rabbit atrial and ventricular myocytes
A. P. Braun and M. P. Walsh 57–65

Phosphorylation and activation of the arachidonate-mobilizing phospholipase A_2 in macrophages in response to bacteria
U. Svensson, M. Houweling, E. Holst and R. Sundler 81–86

Channelling can affect concentrations of metabolic intermediates at constant net flux: artefact or reality?
A. Cornish-Bowden and M. L. Cárdenas 87–92

8-Dimethylamino-1-methyladenine, a novel potent antagonist of the 1-methyladenine receptor in starfish oocytes
T. Monsees, L. Meijer and B. Jastorff 155–165

Involvement of the 20S proteasome in the degradation of ornithine decarboxylase
Z. Bercovich and C. Kahana 205–210

Molecular cloning, developmental pattern and tissue expression of 3-hydroxy-3-methylglutaryl coenzyme A reductase of the cockroach *Blattella germanica*
J. Martinez-Gonzalez, C. Buesa, M.-D. Piulachs, X. Belles and F. G. Hegardt 233–241

Synergism between protein-kinase C and cAMP-dependent pathways in the expression of the interleukin-1β gene is mediated via the activator-protein-1 (AP-1) enhancer activity
E. Serkkola and M. Hurme 243–249

Intracellular retention and degradation of human mutant variant of a α1-antitrypsin in stably transfected Chinese hamster ovary cell lines
E. Ciccarelli, M. A. Alonso, D. Cresteil, A. Bollen, P. Jacobs and F. Alvarez 271–276

Stimulatory and inhibitory guanine-nucleotide-binding regulatory protein involvement in stimulation of arachidonic-acid release by *N*-formyl-methionyl-leucyl-phenylalanine and platelet-activating factor from guinea-pig alveolar macrophages – Differential receptor/G-protein interaction assessed by pertussis and cholera toxins
R. Levistre, J. Masliah and G. Bereziat 295–303

Induction of protein phosphorylation, protein synthesis, immediate-early-gene expression and cellular proliferation by intracellular pH modulation – Implications for the role of hydrogen ions in signal transduction
R. J. Isfort, D. B. Cody, T. N. Asquith, G. M. Ridder, S. B. Stuard and R. A. Leboeuf 349–357

Stimulation of HIT-T15 insulinoma cells by glyceraldehyde does not require its metabolism
A. C. Elliott, R. Trebilcock, A. P. Yates and L. Best 359–365

The interactions of retinoids with retinol-binding protein – A resonance Raman spectroscopic study
D. Manor, R. Callender and N. Noy 413–418

Influence of conjugation of doxorubicin to transferrin on the iron uptake by K562 cells via receptor-mediated endocytosis
A. Bérczi, M. Ruthner, V. Szüts, M. Fritzer, E. Schweinzer and H. Goldenberg 427–436

Association with B-cell-antigen receptor with protein-tyrosine kinase $p72^{syk}$ and activation by engagement of membrane IgM
T. Yamada, T. Taniguchi, C. Yang, S. Yasue, H. Saito and H. Yamamura 455–459

Characteristics and specificity of the inhibition of liver glucose-6-phosphatase by arachidonic acid – Lesser inhibitability of the enzyme of diabetic rats
G. Mithieux, J.-C. Bordet, C. Minassian, A. Ajzannay, I. Mercier and J.-P. Riou 461–466

Exchange reactions catalyzed by group-transferring enzymes oppose the quantitation and the unravelling of the identity of the pentose pathway
I. Flanigan, J. G. Collins, K. K. Arora, J. K. MacLeod and J. F. Williams 477–485

Low activity of the yeast cAMP-dependent protein kinase catalytic subunit Tpk3 is due to the poor expression of the *TPK3* gene
M. J. Mazón, M. M. Behrens, E. Morgado and F. Portillo 501–506

Haemonectin, a granulocytic-cell-binding protein, is related to the plasma glycoprotein fetuin
H. White, N. Totty and G. Panayotou 523–528

Responses of metabolic systems to large changes in enzyme activities and effectors – 1. The linear treatment of unbranched chains
J. R. Small and H. Kacser 613–624

Responses of metabolic systems to large changes in enzyme activities and effectors – 2. The linear treatment of branched pathways and metabolite concentrations. Assessment of the general non-linear case
J. R. Small and H. Kacser 625–640

Identification of novel phosphorylation sites in murine A-type lamins
M. Eggert, N. Radomski, D. Linder, D. Tripier, P. Traub, E. Jost 659–671

Conversion of fructose to glucose in the rabbit small intestine – A reappraisal of the direct pathway
H. Bismut, H.-G. Hers, E. Van Schaftingen 721–726

Vigilin is a cytoplasmic protein – A study on its expression in primary cells and in established cell lines of different species
G. Neu-Yilik , H. Zorbas, T. R. Gloe, H.-M. Raabe, T. A. Hopp-Christensen, P. K. Müller 727–736

CaBP2 is a rat homolog of ERp72 with proteindisulfide isomerase activity
P. N. Van, K. Rupp, A. Lampen, H.-D. Söling 789–795

Crude liver membrane fractions and extracellular matrix components as substrata regulate differentially the preservation and inducibility of cytochrome *P*-450 isoenzymes in cultured rat hepatocytes
B. Saad, F. A. Scholl, H. Thomas, H. Schawalder, V. Streit, F. Waechter, P. Maier 805–814

The contraction of hepatic stellate (Ito) cells stimulated with vasoactive substances – Possible involvement of endothelin 1 and nitric oxide in the regulation of the sinusoidal tonus
N. Kawada, T.-A. Tran-Thi, H. Klein, K. Decker 815–823

Molecular basis for heme-dependent induction of heme oxygenase in primary cultures of chick embryo hepatocytes – Demonstration of acquired refractoriness to heme
K. K. Srivastava, E. E. Cable, S. E. Donohue and H. L. Bonkovsky 909–917

Acetyl-acyl carrier protein is not a major intermediate in fatty acid biosynthesis in spinach
J. G. Jaworski, D. Post-Beittenmiller and J. B. Ohlrogge 981–987

Coordinate changes in the expression of troponin subunit and myosin heavy-chain isoforms during fast-to-slow transition of low-frequency-stimulated rabbit muscle
T. Leeuw and D. Pette 1039–1046

Rapid phosphorylation of 28-kDa heat-shock protein by treatment with okadaic acid and phorbol ester of BALB/MK-2 mouse keratinocytes
K. Kasahara, T. Ikuta, K. Chida, R. Asakura and T. Kuroki 1101–1107

Different isoforms and stock-specific variants of the cell adhesion molecule C-CAM (cell-CAM 105) in rat liver
M. Edlund, H. Gaardsvoll, E. Bock and B. Öbrink 1109–1116

A cold-inducible *Bombyx* gene encoding a protein similar to mammalian sorbitol dehydrogenase – Yolk nuclei-dependent gene expression in diapause eggs
T. Niimi, O. Yamashita and T. Yaginuma 1125–1131

Flux partitioning in the split pathway of lysine synthesis in *Corynebacterium glutamicum* – Quantification by ^{13}C- and ^{1}H-NMR spectroscopy
K. Sonntag, L. Eggeling, A. A. De Graaf and H. Sahm 1325–1331

Metformin decreases gluconeogenesis by enhancing the pyruvate kinase flux in isolated rat hepatocytes
D. Argaud, H. Roth, N. Wiernsperger and X. M. Leverve 1341–1348

Indexed in *Current Contents*